

Contact 3ntity Berhad: [infosales@3ntity.com](mailto:infosales@3ntity.com) for Sales Related Enquiries



## Compare Products Hardware

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+I	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
<b>CPU Frequency</b>	1.2GHz	200MHz	266MHz	1.2GHz	1.06GHz	266MHz	1.2GHz	1.06GHz	266MHz	1.2GHz	1.06GHz	1.06GHz	500MHz	1.2GHz	1.06GHz
<b>Memory Bus</b>	16bit@DDR800	32bit@100	32bit@133	16bit@DDR800	64bit@DDR533	32bit@133	16bit@DDR800	64bit@DDR533	64bit@133	16bit@DDR800	64bit@DDR533	64bit@DDR533	32bit@DDR333	16bit@DDR800	64bit@DDR533
<b>Floating Point</b>	No	Yes	Yes	No	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes	No	Yes
<b>Memory</b>	128MB	32MB	32MB	128MB	512MB	64MB	256MB	512MB	64MB	256MB	512MB	1GB	128MB	256MB	1GB
<b>Internal HDD</b>	2.5" SATA (II)/SSD X 4	3.5" IDE X 1	3.5" SATA (II) X 1	3.5" SATA (II) X 1	3.5" SATA (II) X 1	3.5" SATA (II) X 2	3.5" SATA (II) X 2	3.5" SATA (II) X 2	3.5" SATA (II) X 4	3.5" SATA (II) X 4	3.5" SATA (II) X 4	3.5" SATA (II) X 5	3.5" SATA (II) X 4	3.5" SATA (II) X 4	3.5" SATA (II) X 4
<b>Max Internal Capacity</b>	2TB <sup>7</sup>	500GB	1TB	2TB	2TB	4TB <sup>7</sup>	4TB <sup>7</sup>	4TB <sup>7</sup>	8TB <sup>7</sup>	8TB <sup>7</sup>	8TB <sup>7</sup>	10TB <sup>7</sup>	8TB <sup>7</sup>	8TB <sup>7</sup>	8TB <sup>7</sup>
<b>External HDD Interface</b>	USB X 2; eSATA X 1	USB X 3	USB X 3	USB X 3; eSATA X 1	USB X 3; eSATA X 1	USB X 3	USB X 3	USB X 3; eSATA X 1	USB X 2	USB X 2; eSATA X 1	USB X 2; eSATA X 1	USB X 2; eSATA X 1	USB X 2	USB X 2; eSATA X 1	USB X 2; eSATA X 1
<b>Max Supported Cameras<sup>1</sup></b>	5	1	1	5	10	1	5	10	2	5	10	10	5	5	10
<b>Hot Swappable HDD</b>	-	-	-	-	-	-	-	-	-	-	-	●	●	●	●
<b>Size (mm)</b>	120 X 105 X 142	181 X 212 X 60	160 X 218 X 63	160 X 218 X 63	160 X 218 X 63	160 X 218 X 88	160 X 218 X 88	160 X 218 X 88	230 X 168 X 184	230 X 168 X 184	230 X 168 X 184	242 X 203 X 177	457.5 X 430.5 X 44	457.5 X 430.5 X 44	457.5 X 430.5 X 44 (RS409+) 570.5 X 430.5 X 44 (RS409RP+)
<b>Weight</b>	0.66kg	0.5kg	0.81kg	0.81kg	0.81kg	0.98kg	0.98kg	0.98kg	2.23kg	2.23kg	2.23kg	4.75kg	7.2kg	7.1kg	7.1kg (RS409+) 9.68kg (RS409RP+)
<b>LAN</b>	Gigabit X 1	Gigabit X 1	Gigabit X 1	Gigabit X 1	Gigabit X 1	Gigabit X 1	Gigabit X 1	Gigabit X 1	Gigabit X 1	Gigabit X 1	Gigabit X 1	Gigabit X 2	Gigabit X 1	Gigabit X 2	Gigabit X 2
<b>Fan</b>	X 1 (60mmX60mm)	Fanless	X 1 (50mmX50mm)	X 1 (50mmX50mm)	X 1 (50mmX50mm)	X 1 (70mmX70mm)	X 1 (70mmX70mm)	X 1 (70mmX70mm)	X 1 (80mmX80mm)	X 2 (80mmX80mm)	X 2 (80mmX80mm)	X 2 (80mmX80mm)	X 3 (40mmX40mm)	X 3 (40mmX40mm)	RS409+: X 3; RS409RP+: X 4 (40mmX40mm)

Browse Website: <http://www.3ntity.com/distribution/synology.html>

Contact 3ntity Berhad: [infosales@3ntity.com](mailto:infosales@3ntity.com) for Sales Related Enquiries

	24dB(A)	N/A	25dB(A)	25dB(A)	25dB(A)	24dB(A)	24dB(A)	24dB(A)	26dB(A)	23dB(A)	23dB(A)	26dB(A)	32dB(A)	32dB(A)	)
<b>Noise Level<sup>2</sup></b>	24dB(A)	N/A	25dB(A)	25dB(A)	25dB(A)	24dB(A)	24dB(A)	24dB(A)	26dB(A)	23dB(A)	23dB(A)	26dB(A)	32dB(A)	32dB(A)	36/42dB(A)
<b>Power Recovery</b>															
<b>AC Input Power Voltage</b>	100V to 240V AC	100V to 240V AC	100V to 240V AC	100V to 240V AC	100V to 240V AC	100V to 240V AC	100V to 240V AC	100V to 240V AC	90V to 230V AC	100V to 240V AC	100V to 240V AC	100V to 240V AC	90V to 230V AC	100V to 240V AC	100V to 240V AC
<b>DC Output Power Voltage</b>	12V	12V	12V	12V	12V	12V	12V	12V	12V	12V	12V	12V	12V	12V	12V
<b>Power Frequency</b>	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase	50Hz to 60Hz, Single Phase
<b>Power Consumption<sup>3</sup></b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Access</b>	19W	15W	26W	19W	21W	36W	25W	30W	52.8W	42.9W	56W	69W	68W	52.8W	RS409+: 60W RS409RP+: 61W
<b>Hibernation</b>	12W	6.2W	10W	9W	12W	15W	10W	14.4W	16.9W	16W	20W	30W	21W	23W	RS409+: 28W RS409RP+: 29W
<b>Operating Temperature</b>	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)	5°C to 35°C (40°F to 95°F)
<b>Storage Temperature</b>	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)	-10°C to 70°C (15°F to 155°F)
<b>Relative Humidity</b>	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH	5% to 95% RH
<b>Maximum Operating Altitude</b>	10,000 feet	10,000 feet	10,000 feet	10,000 feet	10,000 feet	10,000 feet	10,000 feet	10,000 feet	10,000 feet	10,000 feet	10,000 feet	10,000 feet	10,000 feet	10,000 feet	10,000 feet

**Performance**

	<b>DS409slim</b>	<b>DS-106j</b>	<b>DS109j</b>	<b>DS109</b>	<b>DS109+</b>	<b>DS209j</b>	<b>DS209</b>	<b>DS209+II</b>	<b>CS407e</b>	<b>DS409</b>	<b>DS409+</b>	<b>DS509+</b>	<b>RS407</b>	<b>RS409</b>	<b>RS409+ RS409RP+</b>
<b>Relative Rating</b>															

Browse Website: <http://www.3ntity.com/distribution/synology.html>

Contact 3ntity Berhad: [infosales@3ntity.com](mailto:infosales@3ntity.com) for Sales Related Enquiries

### Certification

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
<b>FCC</b>	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class A	Class A	Class A
<b>CE</b>	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class A	Class A	Class A
<b>BSMI</b>	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	Class B	-	-	-
<b>VCCI</b>	-	-	-	-	-	-	-	-	Class B	-	-	-	Class A	-	-

### Networking Protocols

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
<b>CIFS</b>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>AFP</b>	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1
<b>FTP</b>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>NFS</b>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Telnet/SSH</b>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

### Windows ADS Domain Integration

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
<b>ADS Support</b>	●	-	-	●	●	-	●	●	●	●	●	●	●	●	●
<b>Domain Users login via Samba/AFP/FTP</b>	●	-	-	●	●	-	●	●	●	●	●	●	●	●	●
<b>Synology Data Replicator 3 for Domain Users</b>	●	-	-	●	●	-	●	●	●	●	●	●	●	●	●

### Security

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
<b>FTP</b>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
FTP over SSL (explicit)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
FTP over TLS (explicit)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
FTP Auto-Block	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Browse Website: <http://www.3ntity.com/distribution/synology.html>

Contact 3ntity Berhad: [infosales@3ntity.com](mailto:infosales@3ntity.com) for Sales Related Enquiries

Encrypted Network Backup	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Encrypted rsync	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
HTTPS Connection	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

### File System

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
EXT3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
FAT (External Disk Only)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
NTFS (External Disk Read Only)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

### File Sharing

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
Max User Accounts	1,024	128	128	1,024	2,048	128	1,024	2,048	2,048	2,048	2,048	2,048	2,048	2,048	2,048
Max Groups	128	64	64	128	256	64	128	256	256	256	256	256	256	256	256
Max Shared Folders	256	100	128	256	256	128	256	256	200	256	256	256	200	256	256
Max Concurrent Connections	64	32	32	64	256	32	128	256	128	128	256	512	128	128	512

### Applications

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
Surveillance Station 2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Photo Station 3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
File Station 2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Audio Station	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Web Station	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PHP/MySQL	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Download Station 2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
iTunes Server	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Browse Website: <http://www.3ntity.com/distribution/synology.html>

Contact 3ntity Berhad: [infosales@3ntity.com](mailto:infosales@3ntity.com) for Sales Related Enquiries

### Packages

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
Mail Station	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
SqueezeCenter	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Webalizer	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

### UPnP Multimedia Service Support

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
Audio	AAC, FLAC, M4A, MP3, Ogg Vorbis, WAV, WMA, WMA VBR, WMA PRO, WMA Lossless														
Video	ASF, AVI, DAT, DivX, MP4, MPEG1, MPEG2, MPEG4, VOB, WMV, XviD														
Image	BMP, JPG (jpe, jpeg), GIF, ICO, PNG, PSD, TIF (tiff), UFO														
Playlist	WPL, M3U														

### iTunes Server Support

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
Audio	MP3, M4A, M4P, WAV <sup>4</sup> , AIF <sup>4</sup>														
Playlist	M3U, WPL														

### Audio Station Support

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
USB mode	(Audio) AAC, FLAC, M4A, MP3, Ogg Vorbis, WMA, WMA VBR (Playlist) M3U, WPL (Internet Radio) SHOUTcast, Radioio														
Streaming mode	(Audio) MP3 (Playlist) M3U, WPL														

### Photo Station 3 Support

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
Video	ASF <sup>8</sup> , AVI <sup>8</sup> , MPEG1 <sup>8</sup> , MPEG4 <sup>8</sup> , WMV <sup>8</sup> , XviD <sup>8</sup> , DivX <sup>8</sup> , FLV, DAT <sup>5</sup> , MP4 <sup>5</sup> , MPEG2 <sup>5</sup> , RM <sup>5</sup> , RMVB <sup>5</sup> , VOB <sup>5</sup>														
Image	BMP, JPG (jpe, jpeg), GIF														

Browse Website: <http://www.3ntity.com/distribution/synology.html>

Contact 3ntity Berhad: [infosales@3ntity.com](mailto:infosales@3ntity.com) for Sales Related Enquiries

### Backup Solutions

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
Network Backup	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Local Backup	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Desktop Backup (DR 3)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB Copy	●	●	●	●	●	●	●	●	-	-	-	-	-	-	-
3rd-Party Backup Support	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

### Utilities

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
Synology Assistant	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Synology Download Redirector	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Synology Data Replicator 3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Add Printer Wizard	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

### Management

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
AJAX-based Management UI	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Sub-folder Privileges Setting	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
User Home	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Applications privileges Setting	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
BitTorrent Port Range Setup	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
BitTorrent DHT Support	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
CIFS Recycle Bin	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Download Station Bandwidth Control	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Download Station Port Range Setup	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Editable HTTP Error Page	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Email Alert Message	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Email Notification for New User	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Browse Website: <http://www.3ntity.com/distribution/synology.html>

Contact 3ntity Berhad: [infosales@3ntity.com](mailto:infosales@3ntity.com) for Sales Related Enquiries

Package Management	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Link Aggregation	-	-	-	-	-	-	-	-	-	-	-	●	-	●	●
External HDD Hibernation (eSATA)	●	-	-	●	●	-	-	●	-	●	●	●	-	●	●
External HDD Hibernation (USB)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Scheduled Power On	●	-	●	●	●	●	●	●	-	●	●	●	-	●	●
Scheduled Power Off	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Ez-Internet	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PPPoE Connection	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Firmware Upgrade	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
FTP Passive Port Range Setup	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hide-able Shared Folder	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Internal HDD Hibernation	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Movable Shared Folder	●	-	-	-	-	●	●	●	●	●	●	●	●	●	●
Removable Default Shared Folder	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
System Temperature Display	●	-	●	●	●	●	●	●	●	●	●	●	●	●	●
UPS Management (Over USB 2.0)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
User Quota	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Web-based Download Station 2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

### RAID Management

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
<b>Volume Type</b>															
Basic	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
JBOD	●	-	-	-	-	●	●	●	●	●	●	●	●	●	●
RAID 0	●	-	-	-	-	●	●	●	●	●	●	●	●	●	●
RAID 1	●	-	-	-	-	●	●	●	●	●	●	●	●	●	●
RAID 5	●	-	-	-	-	-	-	-	●	●	●	●	●	●	●
RAID 5+Spare	●	-	-	-	-	-	-	-	●	●	●	●	●	●	●
RAID 6	●	-	-	-	-	-	-	-	●	●	●	●	●	●	●
Upgrade from Basic to RAID 1	●	-	-	-	-	●	●	●	●	●	●	●	●	●	●
Upgrade from Basic to RAID 5, from RAID 1 to RAID 5, from RAID 5 to RAID 5+Spare	●	-	-	-	-	-	-	-	●	●	●	●	●	●	●
Expand RAID 1 with Larger Hard	●	-	-	-	-	●	●	●	●	●	●	●	●	●	●

Browse Website: <http://www.3ntity.com/distribution/synology.html>

Contact 3ntity Berhad: [infosales@3ntity.com](mailto:infosales@3ntity.com) for Sales Related Enquiries

Drives																
Expand RAID 5, RAID 5+Spare or RAID 6 with Larger Hard Drives	●	-	-	-	-	-	-	-	-	●	●	●	●	●	●	●
Expand RAID 5 by Adding a Hard Drive On The Fly	●	-	-	-	-	-	-	-	-	●	●	●	●	●	●	●
Expand RAID 5+Spare by Adding a Hard Drive On The Fly	-	-	-	-	-	-	-	-	-	-	-	-	●	-	-	-
Expand RAID 6 by Adding a Hard Drive On The Fly	-	-	-	-	-	-	-	-	-	-	-	-	●	-	-	-

### Printer Support<sup>6</sup>

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
Max Printer #	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Printing Protocols	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LPR	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
CIFS	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
AppleTalk	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

### Supported Clients

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
Windows 2000	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Windows XP	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Windows Server 2003	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Windows Vista	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mac OS X 10.3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mac OS X 10.4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mac OS X 10.5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Linux	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

### Supported Browsers

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+

Browse Website: <http://www.3ntity.com/distribution/synology.html>

Contact 3ntity Berhad: [infosales@3ntity.com](mailto:infosales@3ntity.com) for Sales Related Enquiries

Internet Explorer 6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Internet Explorer 7	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Firefox 2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Firefox 3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Safari 3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

### Language

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
English	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
German	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
French	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Italian	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Spanish	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Danish	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Norwegian	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Swedish	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Dutch	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Polish	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Russian	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Korean	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traditional Chinese	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Simplified Chinese	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Portuguese (Brazil)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Portuguese (European)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Turkish	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hungarian	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

### Environment

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
RoHS Compliant	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Browse Website: <http://www.3ntity.com/distribution/synology.html>

Contact 3ntity Berhad: [infosales@3ntity.com](mailto:infosales@3ntity.com) for Sales Related Enquiries

### Package Content

	DS409slim	DS-106j	DS109j	DS109	DS109+	DS209j	DS209	DS209+II	CS407e	DS409	DS409+	DS509+	RS407	RS409	RS409+ RS409RP+
<b>Main Unit</b>	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1
<b>Installation CD</b>	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1
<b>Welcome Note</b>	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1
<b>Assembling Kit</b>	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1
<b>AC Power Adapter</b>	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	-	-	-	-
<b>AC Power Cord</b>	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 2
<b>2M RJ-45 LAN Cable</b>	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 1	X 2	-	-	-

*Specifications are subject to change without notice.*

1. 1 free license to install 1 IP camera. Additional licenses can be purchased to expand the license quota.
2. FAN only. Measured at 2300~6200RPM, varied among models. More details about dB(A) value, check <http://www.quietnoise.com/facts.htm>
3. The figures could vary on different environments.
4. The music can be streamed, but the metadata (ex:title, album) may not be indexed on the iTunes.
5. User can click and download the file, but not play it in Photo Station as compressed Flash video.
6. For Mac users, only PostScript USB printers are supported.
7. The actual capacity will differ according to volume types.
8. AC3, AMR, DTS, RV30, RV40, WMA3 codec are not supported.

**Browse Website:** <http://www.3ntity.com/distribution/synology.html>